






































### TRV Applicable Valve List

NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
1	Altecnic		Ecocal	Thread: M30 x 1.5 mm		✓	✗	✗	
2	Boss		Supreme	Thread: M28 x 1.5 mm		✓	✓	M28	
3	Caleffi			Clamp: 23 mm		✓	✓	CAL	
4	Caleffi			Thread: M30 x 1.5 mm		✓	✗	✗	
5	Carlo Poletti			Thread: M30 x 1.5 mm		✓	✗	✗	













## TRV Applicable Valve List

TRV Applicable Valve List									
NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
6	Comap / SAR			Thread: M30 x 1.5 mm		✓	✗	✗	
7	Comap / SAR		Senso TRV, S2P, Western 5 TRV	Thread: M28 x 1.5 mm		✓	✓	M28	
8	Danfoss		RAS CK	Thread: M30 x 1.5 mm		✓	✗	✗	
9	Danfoss/Honeywell		RA-A, B, C T2000/ T6000/ T3000/ RAS C2	Clamp: 23mm with Notches		✓	✓	RA	
10	Danfoss		RAV	Clamp: 34 mm with 4 notches		✓	✓	RAV	














### TRV Applicable Valve List

NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
11	Danfoss		RAVL	Clamp: 25.5 mm with 4 notches		✓	✓	RAVL	
12	Danfoss		RTD	Thread: M30 x 1.5 mm		✓	✗	✗	
13	Drayton		RT212 / RT313 / RT414 / TRV4	Thread: M30 x 1.5 mm		✓	✗	✗	
14	Emmeti			Clamp: 23 mm		✓	✓	CAL	
15	Gampper			Thread: M30 x 1.5 mm		✓	✗	✗	

### TRV Applicable Valve List

NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
16	Giacomini			Clamp: 22.6 mm		✓	✓	GIA	
17	Heimeier			Thread: M30 x 1.5 mm		✓	✗	✗	
18	Herz, Honeywell		7230 / 7235 / 7260 / 7262 / Thera 3	Thread: M28 x 1.5 mm		✓	✓	M28	
19	Honeywell		Thera T1000, T2000, T3000, T4000, T6000 Series. VT117E / VT200E / VT15	Thread: M30 x 1.5 mm		✓	✗	✗	
20	Junkers			Thread: M30 x 1.5 mm		✓	✗	✗	













### TRV Applicable Valve List

NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
21	MMA Markaryd		Evosense Sprint & Public / MTW-AD / DTW / VR10	Thread: M28 x 1.5 mm		✓	✓	M28	
22	MNG			Thread: M30 x 1.5 mm		✓	✗	✗	
23	Myson			Thread: M28 x 1.5 mm		✓	✓	M28	
24	Myson		TRV 2 Way Petite	Thread: M30 x 1.5 mm		✓	✗	✗	
25	Oventrop		UniLDVL	Clamp: 25.5 mm with 4 notches		✓	✓	RAVL	









### TRV Applicable Valve List

NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
26	Oventrop	OV	UniLDV	Clamp: 34 mm with 4 notches		✓	✓	RAV	
27	Oventrop/ Buderus	OV	UniXD	Clamp: 23mm with notches		✓	✓	RA	
28	Oventrop/ Herz	OV	Uni LA	Thread: M28 x 1.5 mm		✓	✓	M28	
29	Oventrop	OV	Vindo TH / Uni series / Pinox H	Thread: M30 x 1.5 mm		✓	✗	✗	
30	Pegler Yorkshire	PEGLER PY	Conic / Bulldog	Thread: M28 x 1.5 mm		✓	✓	M28	

### TRV Applicable Valve List





NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
31	R.B.M.			Thread: M30 x 1.5 mm		✓	✗	✗	
32	Roca			Clamp: 22.6 mm		✓	✓	GIA	
33	SALUS			Thread: M30 x 1.5 mm		✓	✗	✗	
34	SALUS, SAM (Slovarm)			Thread: M28 x 1.5 mm		✓	✓	M28	
35	Schlösser			Thread: M30 x 1.5 mm		✓	✗	✗	

## TRV Applicable Valve List

NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
36	Siemens	SIEMENS	RTN51, SSA911.01TH	Thread: M30 x 1.5 mm		✓	✗	✗	
37	Siemens	SIEMENS		Thread: M28 x 1.5 mm		✓	✓	M28	
38	Simplex	Simplex		Thread: M30 x 1.5 mm		✓	✗	✗	
39	Sunvic	sunvic	TRV 510	Thread: M28 x 1.5 mm		✓	✓	M28	
40	TA	TA HYDRONICS		Thread: M28 x 1.5 mm		✓	✓	M28	



### TRV Applicable Valve List

NO.	Brand Name	Logo	Radiator thermostat Model	Type of connection (thread/terminal)	Image	Adapted or not	Adapter required or not	Adapter Name	Image
41	Valf Sanayli			Thread: M30 x 1.5 mm		✓	✗	✗	
42	Watts Industries			Thread: M30 x 1.5 mm		✓	✗	✗	

**Note:** If your valve is not on this list or none of the adapters given fit your valve, consider replacing your valve with a thermostatic radiator valve. M30 x 1.5 mm.

Please note that all information in this guide is indicative and in no way complete.